



TAU 10





| Type - LW - w x t - Ø (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|----------------------------|---------------------------------|--------------------------------|--|----------------------|-------------------|
| T 6 - 1.3 x 0.8 - Ø2.5 | 3.10 | 1.45 | LW 1000 x SW 2000 LW 1250 x SW 2500 | 0.8 (~) ◆ | 43 (~) |
| T 6 - 1.3 x 1.0 - Ø2.5 | 3.90 | 1.65 | | 1 (~) ◆ | |

- ◆ Measured at the centre,
- Framing profiles: see page 108

T 6 - 1.3 x t - Ø2.5

|TYPE| LW | w | t | inscribed diameter hole

TAU 20



| Type - LW - w x t - Ø (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|----------------------------|---------------------------------|--------------------------------|--|----------------------|-------------------|
| T 8 - 1.5 x 1.0 - Ø3 | 3.55 | 1.45 | MS/t 1 LW 1000 x SW 2000 MS/t 1.5 LW 1250 x SW 2500 | 1 (~) ◆ 1.5 (~) ◆ | 45 (~) |
| T 8 - 1.5 x 1.5 - Ø3 | 5.50 | 2.10 | MS/t 1 LW 1250 x SW 2500 AL/ t 1.5 LW 1000 x SW 2000 MS/t 1 LW 1500 x SW 3000 AL/ t 1.5 LW 1250 x SW 2500 MS/t 1.5 LW 1000 x SW 2000 AL/ t 1.5 LW 1500 x SW 3000 | | |



MS = Mild Steel - AL = Aluminium

- ◆ Measured at the centre,
- Framing profiles: see page 108

T 8 - 1.5 x t - Ø3

|TYPE| LW | w | t | inscribed diameter hole

TAU 30



| Type - LW - w x t - Ø (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|----------------------------|---------------------------------|--------------------------------|---|----------------------|-------------------|
| T 10 - 1.6 x 1.0 - Ø5 | 3.30 | 1.11 | MS/AL t 1/1.5 DL 1000 x DC 2000 MS/t 2 DL 1250 x DC 2500 | 1 (~) ◆ | 50 (~) |
| T 10 - 1.6 x 1.5 - Ø5 | 4.90 | 1.70 | MS/AL t 1/1.5 DL 1250 x DC 2500 AL/ t 2 DL 1000 x DC 2000 | 1.5 (~) ◆ | |
| T 10 - 1.6 x 2.0 - Ø5 | 6.50 | 2.40 | MS/AL t 1/1.5 DL 1500 x DC 3000 AL/ t 2 DL 1250 x DC 2500 MS t 2 DL 1000 x DC 2000 AL/ t 2 DL 1500 x DC 3000 | 2 (~) ◆ | |



MS = Mild Steel - AL = Aluminium

- ◆ Measured at the centre,
- Framing profiles: see page 108

T 10 - 1.6 x t - Ø5

|TYPE| LW | w | t | inscribed diameter hole

TAU 40



| Type - LW - w x t - Ø (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|----------------------------|---------------------------------|--------------------------------|---|----------------------|-------------------|
| T 20 - 3.25 x 1.5 - Ø10 | 5.40 | 1.95 | LW 1000 x SW 2000 LW 1250 x SW 2500 LW 1500 x SW 3000 | 5 (~) ◆ | 57 (~) |
| T 20 - 3.25 x 2.0 - Ø10 | 7.10 | 2.50 | | | |



- ◆ Measured at the centre,
- Framing profiles: see page 108

T 20 - 3.25 x t - Ø10

|TYPE| LW | w | t | inscribed diameter hole



TAU 50



| Type - LW - w x t - Ø (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|----------------------------|---------------------------------|--------------------------------|---|----------------------|-------------------|
| T 25 - 4.5 x 1.5 - Ø13 | 6.00 | 2.10 | MS/t 1.5/2 LW 1000 x SW 2000 AL/t 1.5/2/3 LW 1000 x SW 2000 | 5 (-) ◆ | 51 (-) |
| T 25 - 4.5 x 2.0 - Ø13 | 7.80 | 2.70 | MS/t 1.5/2 LW 1250 x SW 2500 AL/t 1.5/2/3 LW 1250 x SW 2500 | | |
| T 25 - 4.5 x 3.0 - Ø13 | 11.20 | 4.10 | MS/t 3 LW 1000 x SW 2000 AL/t 1.5/2/3 LW 1500 x SW 3000 | | |


MS = Mild Steel - AL = Aluminium

- ◆ Measured at the centre,
- Framing profiles: see page 108

T 25 - 4.5 x t - Ø13

|TYPE| LW | w | t | inscribed diameter hole

TAU 60



| Type - LW - w x t - Ø (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|----------------------------|---------------------------------|--------------------------------|---|----------------------|-------------------|
| T 30 - 6 x 2.0 - Ø15 | 8.40 | 2.80 | MS/t 2 LW 1000 x SW 2000 AL/t 2/3 LW 1000 x SW 2000 | 6 (-) ◆ | 51 (-) |
| T 30 - 6 x 3.0 - Ø15 | 11.50 | 3.65 | MS/t 2 LW 1250 x SW 2500 AL/t 2/3 LW 1250 x SW 2500 | | |
| | | | MS/t 3 LW 1000 x SW 2000 AL/t 2/3 LW 1500 x SW 3000 | | |


MS = Mild Steel - AL = Aluminium

- ◆ Measured at the centre,
- Framing profiles: see page 108

T 30 - 6 x t - Ø15

|TYPE| LW | w | t | inscribed diameter hole

TAU 70



| Type - LW - w x t - Ø (mm) |
|----------------------------|
| T 40 - 6.5 x 1.5 - Ø20 |
| T 40 - 6.5 x 2.0 - Ø20 |
| T 40 - 6.5 x 3.0 - Ø20 |

| Mild steel (kg/m ²) | Aluminium (kg/m ²) |
|---------------------------------|--------------------------------|
| 6.20 | |
| 8.30 | |
| | 3.80 |

| Available sheet size (mm) | |
|------------------------------|--------------------------|
| MS/t 1.5/2 DL 1000 x DC 2000 | AL/t 3 DL 1000 x DC 2000 |
| MS/t 1.5/2 DL 1250 x DC 2500 | AL/t 3 DL 1250 x DC 2500 |
| | AL/t 3 DL 1500 x DC 3000 |

| Sheet thickness (mm) | % front open area |
|----------------------|-------------------|
| 10 (-) ◆ | 52 (-) |



MS = Mild Steel - AL = Aluminium

- ◆ Measured at the centre,
- Framing profiles: see page 108

T 40 - 6.5 x t - Ø20

|TYPE| LW | w | t | inscribed diameter hole

KD 100





| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|--|----------------------|-------------------|
| Q 6 x 4.5 - 1.2 x 1* | 4.15 | 1.50 | LW 1000 x SW 2000 LW 1250 x SW 2500 | 1.5 (~) ◆ | 36 (~) |

*Mesh panels recommended for mold

- ◆ Measured at the centre,
- Framing profiles: see page 108

Q 6 x 4.5 - 1.2 x t
 |TYPE| LW | SW | w | t

KD 200





| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|--|----------------------|-------------------|
| Q 8 x 6 - 1.2 x 1* | 3.15 | 1.10 | LW 1000 x SW 2000 LW 1250 x SW 2500 | 2 (~) ◆ | 54 (~) |

*Mesh panels recommended for mold

- ◆ Measured at the centre,
- Framing profiles: see page 108

Q 8 x 6 - 1.2 x t
 |TYPE| LW | SW | w | t

KD 300



| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|--|----------------------|-------------------|
| Q 10 x 7 - 1.5 x 1* | 3.20 | 1.10 | LW 1000 x SW 2000 LW 1250 x SW 2500 | 2 (~) ◆ | 57 (~) |


*Mesh panels recommended for mold

- ◆ Measured at the centre,
- Framing profiles: see page 108

Q 10 x 7 - 1.5 x t

|TYPE| LW | SW | w | t

KD 400



| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|---------------------------|----------------------|-------------------|
| Q 16 x 11 - 3 x 1.5 | 6.40 | 2.25 | LW 1000 x SW 2000 | 4 (~) ◆ | 46 (~) |
| Q 16 x 11 - 3 x 2.0 | 8.60 | 3.00 | LW 1250 x SW 2500 | | |
| | | | LW 1500 x SW 3000 | | |



- ◆ Measured at the centre,
- Framing profiles: see page 108

Q 16 x 11 - 3 x t

|TYPE| LW | SW | w | t



RB 15



| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|---|----------------------|-------------------|
| R 10 x 5.8 - 1.5 x 1* | 4.10 | 1.40 | LW 1000 x SW 2000 LW 1250 x SW 2500 LW 1500 x SW 3000 | 2 (~) ◆ | 45 (~) |



*Mesh panels recommended for mold

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 10 x 5.8 - 1,5 x t

|TYPE|LW |SW |w |t

RB 25



| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|---|----------------------|-------------------|
| R 16 x 8 - 2 x 1* | 4.00 | 1.40 | LW 1000 x SW 2000 LW 1250 x SW 2500 LW 1500 x SW 3000 | 3 (~) ◆ | 47 (~) |



*Mesh panels recommended for mold

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 16 x 8 - 2 x t

|TYPE|LW |SW |w |t

RB 35





| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|---|----------------------|-------------------|
| R 28 x 10 - 2 x 1.5 | 4.80 | 1.70 | LW 1000 x SW 2000 LW 1250 x SW 2500 LW 1500 x SW 3000 | 3.5 (~) ◆ | 55 (~) |

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 28 x 10 - 2 x t

|TYPE| LW | SW | w | t

RB 45



| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|---|----------------------|-------------------|
| R 28 x 14 - 5 x 1.5 | 8.40 | 3.00 | LW 1000 x SW 2000 LW 1250 x SW 2500 LW 1500 x SW 3000 | 7 (~) ◆ | 33 (~) |
| R 28 x 14 - 5 x 2.0 | 11.30 | 3.90 | | | |



- ◆ Measured at the centre,
- Framing profiles: see page 108

R 28 x 14 - 5 x t

|TYPE| LW | SW | w | t



RB 55



| Type - LW x SW - w x t (mm) |
|------------------------------|
| R 43 x 13 - 2.5 x 1.5 |
| R 43 x 13 - 2.5 x 2.0 |

| Mild steel (kg/m ²) |
|---------------------------------|
| 4.35 |
| 5.50 |

| Aluminium (kg/m ²) |
|--------------------------------|
| 1.40 |
| 2.10 |

| Available sheet size (mm) |
|---------------------------------|
| LW 1000 x SW 2000 |
| LW 1250 x SW 2500 |
| LW 1500 x SW 3000 |

| Sheet thickness (mm) |
|----------------------|
| 4 (~) ◆ |




| % front open area |
|-------------------|
| 60 (~) |

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 43 x 13 - 2.5 x t

|TYPE| LW | SW | w | t

RB 65



| Type - LW x SW - w x t (mm) |
|-----------------------------|
| R 62 x 23 - 8 x 0.6 |
| R 62 x 23 - 8 x 1.0 |
| R 62 x 23 - 8 x 1.5 |

| Mild steel (kg/m ²) |
|---------------------------------|
| 3.35 |
| 5.60 |
| 8.20 |

| Aluminium (kg/m ²) |
|--------------------------------|
| 1.15 |
| 1.90 |
| 2.80 |

| Available sheet size (mm) |
|---------------------------------|
| LW 1000 x SW 2000 |
| LW 1250 x SW 2500 |
| LW 1500 x SW 3000 |

| Sheet thickness (mm) |
|----------------------|
| 10 (~) ◆ |


| % front open area |
|-------------------|
| 36 (~) |

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 62 x 23 - 8 x t

|TYPE| LW | SW | w | t

RB 75




| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|---------------------------------|----------------------|-------------------|
| R 85 x 35 - 11 x 1.5 | 7.40 | 2.55 | LW 1000 x SW 2000 | 14 (-) ◆ | 48 (-) |
| R 85 x 35 - 11 x 2.0 | 9.87 | 3.40 | LW 1250 x SW 2500 | | |
| | | | LW 1500 x SW 3000 | | |

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 85 x 35 - 11 x t

|TYPE| LW | SW | w | t

RB 85



| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|------------------------------|---------------------------------|--------------------------------|--|----------------------|-------------------|
| R 100 x 35 - 11 x 1.5 | 7.55 | 2.70 | LW 1000 x SW 2000 on request | 15 (-) ◆ | 45 (-) |
| R 100 x 35 - 11 x 2.0 | 10.10 | 3.50 | LW 1250 x SW 2500 on request | | |
| | | | LW 1500 x SW 3000 on request | | |


- ◆ Measured at the centre,
- Framing profiles: see page 108

R 100 x 35 - 11 x t

|TYPE| LW | SW | w | t



Exa 04





| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|---------------------------------|----------------------|-------------------|
| E 40 x 20 - 7 x 1.5 | 8.30 | 2.90 | LW 1000 x SW 2000 | 8 (-) ◆ | 37 (-) |
| E 40 x 20 - 7 x 2.0 | 11.00 | 3.80 | LW 1250 x SW 2500 | | |
| | | | LW 1500 x SW 3000 | | |

- ◆ Measured at the centre,
- Framing profiles: see page 108

E 40 x 20 - 7 x t
|TYPE| LW | SW | w | t

Exa 05





| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|--|----------------------|-------------------|
| E 50 x 23 - 8 x 1.5 | 8.20 | 2.85 | LW 1000 x SW 2000 on request | 10 (-) ◆ | 43 (-) |
| E 50 x 23 - 8 x 2.0 | 10.95 | 3.75 | LW 1250 x SW 2500 on request | | |
| | | | LW 1500 x SW 3000 on request | | |

- ◆ Measured at the centre,
- Framing profiles: see page 108

E 50 x 23 - 8 x t
|TYPE| LW | SW | w | t

Exa 12




| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|---------------------------|----------------------|-------------------|
| E 80 x 30 - 9 x 1.5 | 7.10 | 2.50 | LW 1000 x SW 2000 | 12 (-) ◆ | 54 (-) |
| E 80 x 30 - 9 x 2.0 | 9.50 | 3.30 | LW 1250 x SW 2500 | | |
| | | | LW 1500 x SW 3000 | | |

- ◆ Measured at the centre,
- Framing profiles: see page 108

E 80 x 30 - 9 x t

|TYPE| LW | SW | w | t

Exa 16



| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|---------------------------|----------------------|-------------------|
| E 80 x 30 - 13 x 1.5 | 10.20 | 3.60 | LW 1000 x SW 2000 | 11 (-) ◆ | 15 (-) |
| E 80 x 30 - 13 x 2.0 | 13.70 | 4.70 | LW 1250 x SW 2500 | | |
| | | | LW 1500 x SW 3000 | | |



- ◆ Measured at the centre,
- Framing profiles: see page 108

E 80 x 30 - 13 x t

|TYPE| LW | SW | w | t



Deco 91





| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|---------------------------|----------------------|-------------------|
| E 45 x 8 - 3.5 x 1.0 | 6.80 | 2.40 | LW 1000 x SW 2000 | 4 (~) ◆ | 23 (~) |
| E 45 x 8 - 3.5 x 1.5 | 10.00 | 3.30 | LW 1250 x SW 2500 | | |
| | | | LW 1500 x SW 3000 | | |

- ◆ Measured at the centre,
- Framing profiles: see page 108

E 45 x 8 - 3.5 x t

|TYPE|LW |SW |w |t

Residence



| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|-----------------------------|---------------------------------|--------------------------------|----------------------------|----------------------|-------------------|
| E 45 x 18 - 8 x 1.5 | 10.50 | 3.60 | MS/t 1.5 LW 1000 x SW 2000 | 7 (~) ◆ | 11 (~) |
| E 45 x 18 - 8 x 2.0 | | | MS/t 1.5 LW 1250 x SW 2500 | | |
| | MS/t 1.5 LW 1500 x SW 3000 | AL/ t 1.5/2 LW 1000 x SW 2000 | | | |
| | | AL/ t 1.5/2 LW 1250 x SW 2500 | | | |
| | | MS/t 2 LW 1000 x SW 2000 | | | |
| | | AL/ t 1.5/2 LW 1500 x SW 3000 | | | |



MS = Mild Steel - AL = Aluminium

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 45 x 18 - 8 x t

|TYPE|LW |SW |w |t

Village



| Type - LW x SW - w x t (mm) |
|-----------------------------|
| R 43 x 23 - 10 x 1.5 |
| R 43 x 23 - 10 x 2.0 |

| Mild steel (kg/m ²) |
|---------------------------------|
| 10.30 |
| 13.70 |

| Aluminium (kg/m ²) |
|--------------------------------|
| 3.50 |
| 4.70 |

| Available sheet size (mm) | | | |
|----------------------------|-------------------------------|--|--|
| MS/t 1.5 LW 1000 x SW 2000 | MS/t 2 LW 1250 x SW 2500 | | |
| MS/t 1.5 LW 1250 x SW 2500 | AL/ t 1.5/2 LW 1000 x SW 2000 | | |
| MS/t 1.5 LW 1500 x SW 3000 | AL/ t 1.5/2 LW 1250 x SW 2500 | | |
| MS/t 2 LW 1000 x SW 2000 | AL/ t 1.5/2 LW 1500 x SW 3000 | | |

| Sheet thickness (mm) | % front open area |
|----------------------|-------------------|
| 8 (-) ◆ | 15 (-) |



MS = Mild Steel - AL = Aluminium

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 43 x 23 - 10 x t

|TYPE| LW | SW | w | t

Terrace



| Type - LW x SW - w x t (mm) |
|-----------------------------|
| R 43 x 18 - 8 x 1.5 |
| R 43 x 18 - 8 x 2.0 |

| Mild steel (kg/m ²) |
|---------------------------------|
| 10.50 |
| 14.00 |

| Aluminium (kg/m ²) |
|--------------------------------|
| 3.60 |
| 4.60 |

| Available sheet size (mm) | | | |
|----------------------------|-------------------------------|--|--|
| MS/t 1.5 LW 1000 x SW 2000 | MS/t 2 LW 1250 x SW 2500 | | |
| MS/t 1.5 LW 1250 x SW 2500 | AL/ t 1.5/2 LW 1000 x SW 2000 | | |
| MS/t 1.5 LW 1500 x SW 3000 | AL/ t 1.5/2 LW 1250 x SW 2500 | | |
| MS/t 2 LW 1000 x SW 2000 | AL/ t 1.5/2 LW 1500 x SW 3000 | | |

| Sheet thickness (mm) | % front open area |
|----------------------|-------------------|
| 6 (-) ◆ | 14 (-) |




MS = Mild Steel - AL = Aluminium

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 43 x 18 - 8 x t

|TYPE| LW | SW | w | t

Office



| Type - LW x SW - w x t (mm) |
|-----------------------------|
| R 62 x 22 - 10 x 1.5 |
| R 62 x 22 - 10 x 2.0 |

| Mild steel (kg/m ²) |
|---------------------------------|
| 10.50 |
| |

| Aluminium (kg/m ²) |
|--------------------------------|
| 3.60 |
| 4.90 |

| Available sheet size (mm) | |
|----------------------------|------------------------------|
| MS/t 1.5 LW 1000 x SW 2000 | AL/t 1.5/2 LW 1000 x SW 2000 |
| MS/t 1.5 LW 1250 x SW 2500 | AL/t 1.5/2 LW 1250 x SW 2500 |
| | AL/t 1.5/2 LW 1500 x SW 3000 |

| Sheet thickness (mm) | % front open area |
|----------------------|-------------------|
| 9 (-) ◆ | 12 (-) |



MS = Mild Steel - AL = Aluminium

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 62 x 22 - 10 x t

|TYPE| LW | SW | w | t

Palace



| Type - LW x SW - w x t (mm) |
|-----------------------------|
| R 85 x 30 - 13 x 1.5 |
| R 85 x 30 - 13 x 2.0 |

| Mild steel (kg/m ²) |
|---------------------------------|
| 10.50 |
| 14.10 |

| Aluminium (kg/m ²) |
|--------------------------------|
| 3.60 |
| 4.80 |

| Available sheet size (mm) | |
|----------------------------|------------------------------|
| MS/t 1.5 LW 1000 x SW 2000 | MS/t 2 LW 1250 x SW 2500 |
| MS/t 1.5 LW 1250 x SW 2500 | AL/t 1.5/2 LW 1000 x SW 2000 |
| MS/t 1.5 LW 1500 x SW 3000 | AL/t 1.5/2 LW 1250 x SW 2500 |
| MS/t 2 LW 1000 x SW 2000 | AL/t 1.5/2 LW 1500 x SW 3000 |

| Sheet thickness (mm) | % front open area |
|----------------------|-------------------|
| 11 (-) ◆ | 18 (-) |



MS = Mild Steel - AL = Aluminium

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 85 x 30 - 13 x t

|TYPE| LW | SW | w | t

Country




| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|------------------------------|---------------------------------|--------------------------------|---------------------------|----------------------|-------------------|
| R 100 x 30 - 11 x 1.5 | 8.80 | 3.00 | LW 1000 x SW 2000 | 14 (-) ◆ | 30 (-) |
| R 100 x 30 - 11 x 2.0 | 11.75 | 4.00 | LW 1250 x SW 2500 | | |
| | | | LW 1500 x SW 3000 | | |

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 100 x 30 - 11 x t

|TYPE| LW | SW | w | t

Urban



| Type - LW x SW - w x t (mm) | Mild steel (kg/m ²) | Aluminium (kg/m ²) | Available sheet size (mm) | Sheet thickness (mm) | % front open area |
|------------------------------|---------------------------------|--------------------------------|---------------------------|----------------------|-------------------|
| R 100 x 30 - 13 x 1.5 | 10.40 | 3.55 | LW 1000 x SW 2000 | 13 (-) ◆ | 17 (-) |
| R 100 x 30 - 13 x 2.0 | 13.40 | 4.70 | LW 1250 x SW 2500 | | |
| | | | LW 1500 x SW 3000 | | |

- ◆ Measured at the centre,
- Framing profiles: see page 108

R 100 x 30 - 13 x t

|TYPE| LW | SW | w | t

